

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. 6,129,104

Attorney Docket No.: SEVR220STWP

Dated: October 10, 2000

Title: METHOD FOR AUTOMATIC DOSE
CONTROL OF LIQUID TREATMENT
CHEMICAL

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on **October 18, 2004** in an envelope marked as "Certified Mail" Number 1003 1010 0015 133 addressed to Certificate of Correction Branch, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.
By: Amanda Hillsman 10/18/04
Amanda Hillsman

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
OCT 26 2004
of Correction

Dear Sir:

It has come to our attention that the Title name on the above-referenced patent was misspelled when printed.

Please find enclosed:

- a Certificate of Correction;
- our check in the amount of \$100.00; and
- a return receipt postcard.

I respectfully request that the correction be granted.

11/02/2004 HGUTEMA1 00000118 6129104

01 FC:1811

100.00 OP

Respectfully Submitted,

Jo Katherine D'Ambrosio

Jo Katherine D'Ambrosio
10260 Westheimer Road, Suite 465
Houston, Texas 77042
Tel. 713-975-0800
Customer No. 37334

RECEIVED
NOV - 2 2004
OIP/E/JCWS

NOV 10 2004

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,129,104
DATED : October 10, 2000
INVENTOR(S) : Ellard et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [54], Title, should read -- **METHOD FOR AUTOMATIC DOSE CONTROL OF LIQUID TREATMENT CHEMICAL** -- not "....AUTOMOTIVE DOSE CONTROL....."

Signed and Sealed this

Second Day of August, 2005

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large loop at the beginning and a cursive script.

JON W. DUDAS
Director of the United States Patent and Trademark Office

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,129,104

DATED : Oct. 10, 2000

INVENTOR(S) : Ellard et al.

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below.

Title page, item 154 should read --
1 TITLE: METHOD FOR AUTOMATIC DOSE CONTROL OF LIQUID TREATMENT CHEMICAL

***NOT:AUTOMOTIVE DOSE CONTROL.....

MAILING ADDRESS OF SENDER:

D' Ambrosio & Associates
10260 Westheimer Road Suite 465
Houston, TX 44042

PATENT NO. 6,129,104

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 10 2004